

TONE	Band1	62.5Hz ±9dB
	Band2	100Hz ±9dB
	Band3	160Hz ±9dB
	Band4	250Hz ±9dB
	Band5	400Hz ±9dB
	Band6	630Hz ±9dB
	Band7	1kHz ±9dB
	Band8	1.6kHz ±9dB
	Band9	2.5kHz ±9dB
	Band10	4kHz ±9dB
	Band11	6.3kHz ±9dB
	Band12	10kHz ±9dB
	Band13	16kHz ±9dB
Bluetooth	Version	Bluetooth 4.2
	Frequency Range	2.402 to 2.480GHz
	RF Output Power (E.I.R.P.)	+4dBm (MAX), Power Class 2
	Maximum Communication range	Line of sight approx.10m(32.8ft)
	Profile	HFP 1.7.1 (Hands Free Profile)
		SPP(Serial Port Profile)
PBAP(Phonebook Access Profile)		
A2DP(Advanced Audio Distribution Profile)		
AVRCP 1.6.1 (Audio/Video Remote Control Profile)		
GENE	Operating voltage	12V DC car battery
	Installation Size (W)	182mm
	(H)	53mm
	(D)	100mm
	Net Weight	0.6(kg) (Trim plate and Mounting sleeve: Included)

TONE	Band1	62.5Hz ±9dB
	Band2	100Hz ±9dB
	Band3	160Hz ±9dB
	Band4	250Hz ±9dB
	Band5	400Hz ±9dB
	Band6	630Hz ±9dB
	Band7	1kHz ±9dB
	Band8	1.6kHz ±9dB
	Band9	2.5kHz ±9dB
	Band10	4kHz ±9dB
	Band11	6.3kHz ±9dB
	Band12	10kHz ±9dB
	Band13	16kHz ±9dB
Bluetooth	Version	Bluetooth 4.2
	Frequency Range	2.402 to 2.480GHz
	RF Output Power (E.I.R.P.)	+4dBm (MAX), Power Class 2
	Maximum Communication range	Line of sight approx.10m(32.8ft)
	Profile	HFP 1.7.1 (Hands Free Profile)
		SPP(Serial Port Profile)
PBAP(Phonebook Access Profile)		
A2DP(Advanced Audio Distribution Profile)		
AVRCP 1.6.1 (Audio/Video Remote Control Profile)		
GENE	Operating voltage	12V DC car battery
	Installation Size (W)	182mm
	(H)	53mm
	(D)	100mm
	Net Weight	0.6(kg) (Trim plate and Mounting sleeve: Included)

TONE	Band1	62.5Hz ±9dB
	Band2	100Hz ±9dB
	Band3	160Hz ±9dB
	Band4	250Hz ±9dB
	Band5	400Hz ±9dB
	Band6	630Hz ±9dB
	Band7	1kHz ±9dB
	Band8	1.6kHz ±9dB
	Band9	2.5kHz ±9dB
	Band10	4kHz ±9dB
	Band11	6.3kHz ±9dB
	Band12	10kHz ±9dB
	Band13	16kHz ±9dB
Bluetooth	Version	Bluetooth 4.2
	Frequency Range	2.402 to 2.480GHz
	RF Output Power (E.I.R.P.)	+4dBm (MAX), Power Class 2
	Maximum Communication range	Line of sight approx.10m(32.8ft)
	Profile	HFP 1.7.1 (Hands Free Profile)
		SPP(Serial Port Profile)
PBAP(Phonebook Access Profile)		
A2DP(Advanced Audio Distribution Profile)		
AVRCP 1.6.1 (Audio/Video Remote Control Profile)		
GENE	Operating voltage	12V DC car battery
	Installation Size (W)	182mm
	(H)	53mm
	(D)	100mm
	Net Weight	0.6(kg) (Trim plate and Mounting sleeve: Included)

TONE	Band1	62.5Hz ±9dB
	Band2	100Hz ±9dB
	Band3	160Hz ±9dB
	Band4	250Hz ±9dB
	Band5	400Hz ±9dB
	Band6	630Hz ±9dB
	Band7	1kHz ±9dB
	Band8	1.6kHz ±9dB
	Band9	2.5kHz ±9dB
	Band10	4kHz ±9dB
	Band11	6.3kHz ±9dB
	Band12	10kHz ±9dB
	Band13	16kHz ±9dB
Bluetooth	Version	Bluetooth 4.2
	Frequency Range	2.402 to 2.480GHz
	RF Output Power (E.I.R.P.)	+4dBm (MAX), Power Class 2
	Maximum Communication range	Line of sight approx.10m(32.8ft)
	Profile	HFP 1.7.1 (Hands Free Profile)
		SPP(Serial Port Profile)
PBAP(Phonebook Access Profile)		
A2DP(Advanced Audio Distribution Profile)		
AVRCP 1.6.1 (Audio/Video Remote Control Profile)		
GENE	Operating voltage	12V DC car battery
	Installation Size (W)	182mm
	(H)	53mm
	(D)	100mm
	Net Weight	0.6(kg) (Trim plate and Mounting sleeve: Included)

TONE	Band1	62.5Hz ±9dB
	Band2	100Hz ±9dB
	Band3	160Hz ±9dB
	Band4	250Hz ±9dB
	Band5	400Hz ±9dB
	Band6	630Hz ±9dB
	Band7	1kHz ±9dB
	Band8	1.6kHz ±9dB
	Band9	2.5kHz ±9dB
	Band10	4kHz ±9dB
	Band11	6.3kHz ±9dB
	Band12	10kHz ±9dB
	Band13	16kHz ±9dB
Bluetooth	Version	Bluetooth 4.2
	Frequency Range	2.402 to 2.480GHz
	RF Output Power (E.I.R.P.)	+4dBm (MAX), Power Class 2
	Maximum Communication range	Line of sight approx.10m(32.8ft)
	Profile	HFP 1.7.1 (Hands Free Profile)
		SPP(Serial Port Profile)
PBAP(Phonebook Access Profile)		
A2DP(Advanced Audio Distribution Profile)		
AVRCP 1.6.1 (Audio/Video Remote Control Profile)		
GENE	Operating voltage	12V DC car battery
	Installation Size (W)	182mm
	(H)	53mm
	(D)	100mm
	Net Weight	0.6(kg) (Trim plate and Mounting sleeve: Included)

TONE	Band1	62.5Hz ±9dB
	Band2	100Hz ±9dB
	Band3	160Hz ±9dB
	Band4	250Hz ±9dB
	Band5	400Hz ±9dB
	Band6	630Hz ±9dB
	Band7	1kHz ±9dB
	Band8	1.6kHz ±9dB
	Band9	2.5kHz ±9dB
	Band10	4kHz ±9dB
	Band11	6.3kHz ±9dB
	Band12	10kHz ±9dB
	Band13	16kHz ±9dB
Bluetooth	Version	Bluetooth 4.2
	Frequency Range	2.402 to 2.480GHz
	RF Output Power (E.I.R.P.)	+4dBm (MAX), Power Class 2
	Maximum Communication range	Line of sight approx. 10m(32.8ft)
	Profile	HFP 1.7.1 (Hands Free Profile)
		SPP(Serial Port Profile)
PBAP(Phonebook Access Profile)		
A2DP(Advanced Audio Distribution Profile)		
AVRCP 1.6.1 (Audio/Video Remote Control Profile)		
GENE	Operating voltage	12V DC car battery
	Installation Size (W)	182mm
	(H)	53mm
	(D)	100mm
	Net Weight	0.6(kg) (Trim plate and Mounting sleeve: Included)

TONE	Band1	62.5Hz ±9dB
	Band2	100Hz ±9dB
	Band3	160Hz ±9dB
	Band4	250Hz ±9dB
	Band5	400Hz ±9dB
	Band6	630Hz ±9dB
	Band7	1kHz ±9dB
	Band8	1.6kHz ±9dB
	Band9	2.5kHz ±9dB
	Band10	4kHz ±9dB
	Band11	6.3kHz ±9dB
	Band12	10kHz ±9dB
	Band13	16kHz ±9dB
Bluetooth	Version	Bluetooth 4.2
	Frequency Range	2.402 to 2.480GHz
	RF Output Power (E.I.R.P.)	+4dBm (MAX), Power Class 2
	Maximum Communication range	Line of sight approx. 10m(32.8ft)
	Profile	HFP 1.7.1 (Hands Free Profile)
		SPP(Serial Port Profile)
PBAP(Phonebook Access Profile)		
A2DP(Advanced Audio Distribution Profile)		
AVRCP 1.6.1 (Audio/Video Remote Control Profile)		
GENE	Operating voltage	12V DC car battery
	Installation Size (W)	182mm
	(H)	53mm
	(D)	100mm
	Net Weight	0.6(kg) (Trim plate and Mounting sleeve: Included)